

**TITANIA**

**PT Tecnobahía, Edif. RETSE, Nave 4, Ctra. De Sanlúcar, Km 7  
11500 El Puerto de Santa María  
Spain**

**FOR THE ATTENTION OF**

Pedro ASTOLA GONZALEZ Quality assurance manager  
Miguel Angel RODRIGUEZ CHACON Laboratory manager  
Fernando SERRANO Business Development Manager

**CERTIFICATE PREPARED BY  
NUNEZ Cesar**

**YOUR QUALITY RESPONSIBLE DEPUTY  
NUNEZ Cesar**

**E-MAIL  
cesar.nunez.external@airbus.com**

**PHONE  
+33 6 77 98 01 23**

**DATE  
15/02/2018**

**OUR REFERENCE  
SUR2018.0082 Ind. A**

**ARP-ID of the External Shop  
276249**

**TYPE of External Shop  
Independent**

**Attestation letter for Qualification on Test Methods**

Dear Madam, Dear Sir,

We herewith inform that the couples <Test Methods / External Shop> as detailed in the Appendix have been either registered or modified in the Official Airbus Qualified Test Methods List (QTML) Database.

The latest valid status of all qualified <Test Methods / External Shop> couples is published by regular QTML reports:

- On Airbus homepage for Suppliers (<http://www.airbus.com/tools/airbusfor/suppliers/>) - Only Independent Labs.
- On Airbus Supply Portal A2QS - All External Shops.

A qualified couple is not linked to a specific product. It is the proof that the External Shop is meeting the requirement of the AP5262: Qualification Process of Couples <Test Method / External Shop>.

We remind you that the maintenance of your Test Methods Qualification depends on your monitoring on quality and technical aspects and is surveyed by Airbus on a regular basis, every year or every 2 years.

- On a quality aspect: we kindly ask you to indicate us any modification which could have a quality impact.
- Concerning technical requirements:
  - \* We kindly ask you to participate at least every 2 years to the PTP organized by Exova for the tests you perform on Airbus Products (see Appendix for details on next PTP participation requirements).  
You can find all necessary information about PTP participation process on the website: <https://ptp.exova.com>.  
In case of PTP results out of tolerances, the couples qualification can be downgraded to an authorisation to proceed or withdrawn and the PTP participation frequency is reduced to one year, subject to acceptance by Airbus of your Root Cause Analysis and associated Corrective Actions.
  - \* On the other hand, you shall supply at least every 2 years the results of your Internal Homogeneity Studies per Test Families.

Airbus reserves the right to withdraw or suspend the qualification at any time for specific reason, e.g.

- Any major incident(s) detected on one or several Test processes
- Lack in quality
- Evidence non-compliance with the AP5262
- Loss of Airbus Supplier Approval
- Stop of the Business

Yours faithfully,

**NUNEZ Cesar**  
**TM Qualification Engineer - TM PO Central Team**  
**Your Quality Responsible Deputy**



**MALHOMME Muriel**  
**TM Qualification Manager - TM PO Central Team**  
**Your Quality Responsible**



Appendix: Matrix of qualified Couples <Test Methods / External Shop>

## APPENDIX: Matrix of qualified Couples <Test Methods / External Shop>

We hereby declare the External Shop:

**TITANIA**

PT Tecnobahía, Edif. RETSE, Nave 4, Ctra. De Sanlúcar, Km 7  
11500 El Puerto de Santa María  
Spain

CERTIFICATE PREPARED BY  
NUNEZ Cesar

DATE  
15/02/2018

OUR REFERENCE  
SUR2018.0082 Ind. A

ARP-ID of the External Shop  
276249

TYPE of External Shop  
Independent

Qualified or Authorised to proceed for the following Test processes:

Test Standard(s) *	Test label	Complex.	Qualif. Status	Next PTP part. **	Remark
AITM 1-0002 (ISO 14129)	Fibre reinforced plastics - Determination of in-plane shear properties ( $\pm 45^\circ$ tensile test)	Low	Qualified	2017	
AITM 1-0003	Determination of the glass transition temperatures (DMA)	High	Qualified	2018	QCS 131066
AITM 1-0005 (EN 6033)	Fibre reinforced plastics - Determination of interlaminar fracture toughness energy - Mode I - G1c	High	Qualified	2018	QCS 140131
AITM 1-0007-A / B / C / D	Fibre reinforced plastics - Determination of plain, open hole and filled hole tensile strength	Low	Qualified	2018	
AITM 1-0010 (EN 6038)	Fibre reinforced plastics - Determination of compression strength after impact	High	Qualified	2017	QCS 140496
AITM 1-0019	Determination of tensile lap shear strength of composite joints	Low	Qualified	2019	Also according to I+D-E 352
AITM 1-0024	Determination of the completeness of cure of organic coatings	Low	Qualified		
AITM 1-0025	Fiber reinforced plastics - Flatwise tensile test of composite sandwich panel	Low	Qualified	2019	
AITM 1-0030	Sealants - Determination of lap shear strength	Low	Qualified		
AITM 1-0032	Determination of non hardening characteristic of sealant	Low	Qualified		
AITM 1-0033	Sealants: Determination of the curing rate of sealing materials	Low	Qualified		
AITM 1-0036	Sealants - Determination of assembly time	Low	Qualified		
AITM 1-0053	Carbon fibre reinforced plastics - Determination of fracture toughness energy of bonded joints - Mode I - G1c	High	Qualified	2018	QCS 130240 - Valid for the Issue 4 of the norm
AITM 1-0070	Surface roughness measurements using surface stylus methods	Low	Qualified		
AITM 2-0013	Determination of sealant adhesion by linear debonding test	High	Qualified		QCS 130754
AITM 2-0027	Determination of colour differences	Low	Qualified		Also cording to ISO7724 UNE 48073
AITM 2-0033	Sealants - Determination of slump	Low	Qualified		

## APPENDIX: Matrix of qualified Couples <Test Methods / External Shop>

We hereby declare the External Shop:

**TITANIA**

PT Tecnobahía, Edif. RETSE, Nave 4, Ctra. De Sanlúcar, Km 7  
11500 El Puerto de Santa María  
Spain

CERTIFICATE PREPARED BY  
NUNEZ Cesar

DATE  
15/02/2018

OUR REFERENCE  
SUR2018.0082 Ind. A

ARP-ID of the External Shop  
276249

TYPE of External Shop  
Independent

Qualified or Authorised to proceed for the following Test processes:

Test Standard(s) *	Test label	Complex.	Qualif. Status	Next PTP part. **	Remark
AITM 2-0034	Sealants - Determination of tack-free time of sealing materials	Low	Qualified		
AITM 2-0061	Water pick up test-method to determine the impregnation level of prepreg materials	Low	Qualified		
AITM 3-0002	Analysis of non metallic material (uncured) by differential scanning calorimetry (DSC)	High	Qualified	2018	QCS pending
AITM 3-0003 (EN 6042)	Analysis of organic compounds by infrared spectroscopy (IR)	Low	Qualified		
AITM 3-0004 (EN 6043)	Determination of gel time and viscosity	Low	Qualified		
AITM 3-0008 (EN 6064)	Determination of the extent of cure by differential scanning calorimetry (DSC)	High	Qualified	2018	QCS pending
AITM 3-0025	Determination of solid content	Low	Qualified		Sealants
AITM 3-0030	Titration of sulphuric and tartaric acid in anodizing electrolytes	Low	Qualified		
AITM 4-0003	Test method for determining the pore content of fibre reinforced plastics using automatic image analysis	High	Authorised to Proceed March 2018	2018	QCS Pending
AITM 4-0005	Macroscopic and microscopic examination of fiber reinforced plastics	Low	Qualified		Risk assesement Ref X029ME1526459
AITM 5-0009	Determination of resistance to bond line corrosion	Low	Qualified		
AITM 7-0003	Sealants - Determination of application time of sealing materials	Low	Qualified		
AMS 2315	Determination of delta ferrite content	Low	Qualified		Also according to LC-PE-063
ASTM B117	Standard practice for operating salt spray (Fog) apparatus	Low	Qualified	2018	
ASTM E112	Determining average grain size	Low	Qualified	2018	
ASTM E2602	Assignment of the glass transition temperature by modulated temperature differential scanning calorimetry (DSC)	High	Qualified		QCS Pending
ASTM E3	Standard guide for preparation of metallographic specimens	Low	Qualified		Also according to LC-PE-021
ASTM E340	Macroetching metals and alloys	Low	Qualified		

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

## APPENDIX: Matrix of qualified Couples <Test Methods / External Shop>

We hereby declare the External Shop:

**TITANIA**

PT Tecnobahía, Edif. RETSE, Nave 4, Ctra. De Sanlúcar, Km 7  
11500 El Puerto de Santa María  
Spain

CERTIFICATE PREPARED BY  
NUNEZ Cesar

DATE  
15/02/2018

OUR REFERENCE  
SUR2018.0082 Ind. A

ARP-ID of the External Shop  
276249

TYPE of External Shop  
Independent

Qualified or Authorised to proceed for the following Test processes:

Test Standard(s) *	Test label	Complex.	Qualif. Status	Next PTP part. **	Remark
ASTM E384	Microindentation hardness of materials	Low	Qualified	2018	
ASTM E407	Microetching metals and alloys	Low	Qualified		
ASTM F1110	Sandwich corrosion test	Low	Qualified		
ASTM F483	Standard practice for total immersion corrosion test for aircraft maintenance chemicals	Low	Qualified		
ASTM G110	Evaluating intergranular corrosion resistance of heat treatable aluminium alloys by immersion in sodium chloride + hydrogen peroxide solution	Low	Qualified		Also according as well to LC-PE-022
ASTM G34	Exfoliation corrosion susceptibility in 2XXX and 7XXX series aluminum alloys (EXCO Test)	Low	Qualified		
EN 2002-1 (ASTM B557)	Tensile testing at ambient temperature	Low	Qualified	2018	
EN 2002-6	Metallic materials: Bend testing	Low	Qualified		Also According to ASTM E290 and UNE-EN 910
EN 2243-1	Structural adhesives - Part 1: Single lap shear	Low	Qualified	2019	
EN 2243-2	Structural adhesives - Part 2: Peel metal-metal	Low	Qualified	2017	
EN 2243-3	Structural adhesives - Part 3: Peeling test metal-honeycomb core	Low	Qualified	2017	
EN 2557	Carbon fibre preimpregnates - Determination of mass per unit area	Low	Qualified		
EN 2558	Carbon fibre preimpregnates - Determination of the volatile content	Low	Qualified		
EN 2559	Carbon fibre preimpregnates - Test method for the determination of the resin and fibre content and the mass of fibre per unit area	Low	Qualified		
EN 2560	Carbon fibre preimpregnates - Determination of the resin flow	Low	Qualified		
EN 2561	Carbon Fibre reinforced plastics - Unidirectional laminates - Tensile test parallel to the fibre direction	Low	Qualified	2018	

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

## APPENDIX: Matrix of qualified Couples <Test Methods / External Shop>

We hereby declare the External Shop:

**TITANIA**

PT Tecnobahía, Edif. RETSE, Nave 4, Ctra. De Sanlúcar, Km 7  
11500 El Puerto de Santa María  
Spain

CERTIFICATE PREPARED BY  
NUNEZ Cesar

DATE  
15/02/2018

OUR REFERENCE  
SUR2018.0082 Ind. A

ARP-ID of the External Shop  
276249

TYPE of External Shop  
Independent

Qualified or Authorised to proceed for the following Test processes:

Test Standard(s) *	Test label	Complex.	Qualif. Status	Next PTP part. **	Remark
EN 2563	Carbon fibre reinforced plastics - Unidirectional laminates - determination of apparent interlaminar shear strength	Low	Qualified	2018	
EN 2564	Carbon fibre laminates - Determination of the fibre, resin and void contents	Low	Qualified	2018	Also according to ABT 1-0018
EN 2667-2 (Pren)	Foaming structural adhesives - Part 2: Compressive tube shear	Low	Qualified		
EN 2823 (prEN)	Fibre reinforced plastics - Determination of the effect of exposure to humid atmosphere on physical and mechanical characteristics	Low	Qualified		
EN 2850-B (Pren) (ISO 14126-2)	Carbon fibre thermosetting resin unidirectional laminates - Compression test parallel to fibre direction - Method B	Low	Qualified	2018	
EN 3615	Fibre reinforced plastics - Determination of the conditions of exposure to humid atmosphere and of moisture absorption	Low	Qualified		
EN 3665	Paints and varnishes - Filiform corrosion resistance test on aluminium alloys	Low	Qualified		
EN 542	Adhesives - Determination of density	Low	Qualified		
ISO 1183-1	Plastics - Methods for determining the density of non-cellular plastics - Part 1: Immersion method, liquid pycnometer method and titration method	Low	Qualified		
ISO 1463	Metallic and oxide coatings - Measurement of coating thickness - Microscopical method	Low	Qualified	2019	
ISO 1518	Paints and varnishes - Scratch test	Low	Qualified		
ISO 1519	Paints and varnishes - Bend test (cylindrical mandrel)	Low	Qualified		
ISO 2106	Anodizing of aluminium and its alloys - Determination of mass per unit area (surface density) of anodic oxidation coatings - Gravimetric method	Low	Qualified		
ISO 2143	Anodizing of aluminium and its alloys - Estimation of loss of absorptive power of anodic oxidation coatings after sealing - Dye-spot test with prior acid treatment	Low	Qualified		
ISO 2360	Non-conductive coatings on non-magnetic electrically conductive basis materials - Measurement of coating thickness - Amplitude-sensitive eddy current method	Low	Qualified	2019	

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

## APPENDIX: Matrix of qualified Couples <Test Methods / External Shop>

We hereby declare the External Shop:

**TITANIA**

PT Tecnobahía, Edif. RETSE, Nave 4, Ctra. De Sanlúcar, Km 7  
11500 El Puerto de Santa María  
Spain

CERTIFICATE PREPARED BY  
NUNEZ Cesar

DATE  
15/02/2018

OUR REFERENCE  
SUR2018.0082 Ind. A

ARP-ID of the External Shop  
276249

TYPE of External Shop  
Independent

Qualified or Authorised to proceed for the following Test processes:

Test Standard(s) *	Test label	Complex.	Qualif. Status	Next PTP part. **	Remark
ISO 2409	Paints and varnishes - Cross-cut test	Low	Qualified	2018	
ISO 2431	Paints and varnishes - Determination of flow time by use of flow cups	Low	Qualified		Also according to ASTM D1200 ASTM D4212
ISO 2555	Plastics - Resins in the liquid state or as emulsions or dispersions - Determination of apparent viscosity by the Brookfield test method	Low	Qualified		
ISO 2808	Paints and varnishes - Determination of film thickness	Low	Qualified	2019	
ISO 2811-1	Paints and varnishes - Determination of density - Part 1: Pyknometer method	Low	Qualified		
ISO 2812-2	Paints and varnishes - Determination of resistance to liquids - Part 2: Water immersion method	Low	Qualified	2018	
ISO 2813	Paints and varnishes - Determination of specular gloss of non-metallic paint films at 20°, 60° and 85°	Low	Qualified		
ISO 3251	Paints, varnishes and plastics - Determination of non-volatile-matter content	Low	Qualified		
ISO 4624	Paints and varnishes - Pull-off test for adhesion	Low	Qualified		
ISO 6507 (ASTM E92)	Vickers hardness test	Low	Qualified	2018	
ISO 6508 (ASTM E18)	Rockwell hardness test	Low	Qualified	2018	Also according to UNE-EN ISO 6508-1 and ASTM E18
ISO 7619-1	Rubber, vulcanized or thermoplastic - Determination of indentation hardness - Part 1: Durometer method (Shore hardness)	Low	Qualified		Also according to ASTM D2240 UNE-EN ISO 868
ISO 9227 (ASTM B117)	Corrosion tests in artificial atmospheres - Salt spray tests	Low	Qualified	2018	
NASM 1312-01	Fastener test methods - Method 1: Salt Spray	Low	Qualified		Also according to ASTM B117 and UNE-EN ISO 9227
NASM 1312-06	Fastener test methods - Method 6: Hardness	Low	Qualified		Also according to UNE-EN ISO 6508-1 & ASTM E18 (Rockwell) / UNE-EN ISO 6507-1 & ASTM E384 (Vickers)
NASM 1312-13	Fastener test methods - Method 13: Double shear test	Low	Qualified	2018	Also according to ASTM B565, UNE 7246 and LC-PE-010

## APPENDIX: Matrix of qualified Couples <Test Methods / External Shop>

We hereby declare the External Shop:

**TITANIA**

PT Tecnobahía, Edif. RETSE, Nave 4, Ctra. De Sanlúcar, Km 7  
11500 El Puerto de Santa María  
Spain

CERTIFICATE PREPARED BY

NUNEZ Cesar

DATE

15/02/2018

OUR REFERENCE

SUR2018.0082 Ind. A

ARP-ID of the External Shop

276249

TYPE of External Shop

Independent

Qualified or Authorised to proceed for the following Test processes:

Test Standard(s) *	Test label	Complex.	Qualif. Status	Next PTP part. **	Remark
NASM 1312-20	Fastener test methods - Method 20: Single shear	Low	Qualified		
NASM 1312-31	Fastener test methods - Method 31: Torque	Low	Qualified		Also according to LC-PE-008
Z_Comp. spec. machining	Composite specimen machining / cutting / tabbing		Qualified		
Z_Corrosion	Corrosion		Qualified		According to AMS2700, ASTM A380, ASTM A967 and ISO 8075
Z_Metal. Spec. prep	Metallic specimen preparation (for mechanical testing)		Qualified		According to LC-PE-021
Z_Opt. metallo.	Optical metallography		Qualified		Steel, Ti, Al
Z_Spectro. OES	Spectrometry: optical emission (OES)		Qualified	2017	According to LC-PE-004

\* Unless otherwise specified, last issue of the standard shall apply.

\*\* Next PTP participation year is given for information - It is the External Shop's responsibility to check every year on the PTP Website (<https://ptp.exova.com/>) which kits are proposed.